

BIMHUIS

Technical Rider

Audio

Max. 100dB(A) Leq 15min

PA SYSTEM

L'Acoustics A15 + KS21 sub

L/R 3x A15 per side (2 wide, 1 focus)

Side L/R 2x A15 per side

Sub 2x KS21 per side in cardioid

FOH

Midas HD96 with DL251 & DL154 & DL155 stagebox

Bricasti M7 reverb

Lexicon PCM91 FX processor

Junger Accent 2

MONITORS

Monitors are driven from FOH

8x L'Acoustic X12

4x L'Acoustic X8

MICROPHONES

2x AEA N8

2x AKG C414 B-ULX

2x AKG C535

2x Beyerdynamic M88

3x Beyerdynamic M201

10x BSS AR133 active DI

4x Countryman E6 Headset

6x DPA 6066 headset

2x Countryman FET88

2x DPA 4006

3x DPA 4061

3x DPA 4099

1x DPA 4018 d:facto

3x Electrovoice RE20

3x MBHO 648/KA1000

2x Radial PZDI Active Piezo DI

2x Radial PRO D2 stereo Passive DI

1x Radial PRO AV2 stereo Passive Multimedia DI

BIMHUIS Technical Rider revision: 01-10-2024

1x Radial J33 stereo Active Phono preamp DI
1x Radial USB-Pro USB DI
8x Neumann km140
2x Neumann km130
2x Neumann km150
4x Neumann km184
2x Neumann kms105
4x Neumann TLM170
2x Schertler Dyn-Uni-P48 contact microphone
4x Schoeps CMC6/MK4
4x Sennheiser e604
2x Sennheiser MD421
2x Sennheiser MD441
2x Sennheiser MKE40 lavalier microphone
2x Shure SM7b
3x Shure SM57
4x Shure SM58
1x Shure Beta 52
2x Shure Beta 57
2x Shure Beta 58
1x Shure Beta 91
1x Shure KSM9
2x Shure ULX4D receiver
1x Shure ULXD4Q receiver
2x Shure ULX D2 handheld with SM58/ ß87/ ß58/KSM9 head
7x Shure ULX D1 Beltpack
1x Yamaha Subkick

Video

Concert hall

BenQ LU9715
8000 ansilumen
1.000.000:1 contrastratio
WUXGA 1920 x 1200 resolution

4,88 x 3,05 (image size, 16:10) screen
4 x 3 meter expandable screen
Philips 32" HD monitor

Roland XS-1HD Video mixer
Blackmagic ATEM Mini
Mac Mini m1

Lights

48x 3kW dimmers
12x 3kW extra "free" dimmers
Martin Audio M2Go lightdesk
12x Robe Robin Ledwash 300
2x Robe Robin Ledwash 600
6x Ayrton Mistral Led Profile spots
18x Teclumen Fusion Color 6
8x ADB profilespots 1kW
8x ADB PC 1kW
8x Desisti fresnell 1kW
8x Strand fresnell 2kW
12x Source Four par
10X JB Systems LED 56 (on luxaflex)
2x Smoke Factory Tour Hazer II

Stage and Power

Dimensions stage: 9,15 wide x 7,20 deep x 4,40 height

Power on stage:

2x 32Amp 400V

1x 63Amp 400 V

3x 16Amp 240V

Power for broadcast trucks;

1x 63Amp 400V

1x 16Amp 240V

1x 220 V to 110 V Transformer; 1000 W; american-type plugs

2x 220 V to 110 V Transformer; 350 W; american-type plugs

Elevator dimensions w/h/d: 200cm x 210cm x 280 cm

Instruments and Backline

DRUMS

Sonor Phonic with:

18" bassdrum

10", 12", 14" en 16" toms

Yamaha Maple Custom with:

18", 20" en 22" bassdrums

10", 12" & 13" toms

14" en 16" floortoms

Snaredrums:

Ludwig Supraphonic LM402 6,5"x14"

Yamaha Maple Custom Absolute 6.5"x14"

Yamaha Maple Custom 5.5"x14"

Sonor Vintage 6"x14"

Tama Swingstar 5.5"x14" Metal

Pearl 5.5"x14" Metal

Remo USA 3.5"x14" Metal

several Zildjan/Istanbul and other brand cymbals

Yamaha hardware

GRAND PIANO'S – PIANO'S - KEYBOARDS

Steinway & Sons D-274, length 274 cm. Serial number: 560.510 –

Preparation is NOT allowed!! Standard tuning 442Hz

Steinway & Sons B-211, length 211 cm. Serial number: B 332941

Standard tuning 442Hz

Yamaha U1 upright piano; Standard tuning 442Hz

Nord Stage EX electric piano

M-Audio Axiom61 Midi keyboard

BASS GUITAR & AMPLIFIERS

Fender Precision 4 string

Glockenklang Heart-rock head with Glockenklang 4x10" + tweeter cabinet

Galiën Krüger 1001 RB with Galiën Krüger 410RBH

2x Galiën Krüger MB150S

Polytone Minibrute IV

SWR Workingman 15"

MarkBass Little Mark Tube with New York 121 Speaker

Aguilar ToneHammer 700 with 2x SL112

GUITAR AMPLIFIERS

2x Fender Twin Reverb
2x Fender Deluxe Reverb
Fender Bassman
VOX AC-30
Fender Hotrod Deluxe
Polytone Minibrute IV
Roland JC-120
AER Compact60
Roland KC-550 (multichannel keyboard amp)

PERCUSSION

Musser M55 vibraphone
Quinto/Conga/Tumba LP with stand
Timbales LP Prestige 14/15"
Bongo Meinl with stand
Djembe Meinl with stand
Cajon Meinl
Chimes, Cowbells woodblocks etc
Udu (LP, clay)
Darbuka (Meinl)

Audio Bar

Max. 98dB(A) Leq

Yamaha DM3

4x d&b E12 Speakers

2x L'Acoustics SB15 sub

4x L'Acoustic X8 monitor

DJ-Set

2x Pioneer CDJ 3000

1x Pioneer DJM-A9

2x Technics SL-1200Mk2

2x Pioneer CDJ850

Allen&Heath X-one 42 DJ Mixer

Video Bar

Sanyo PLC-XP100L beamer

6500 ansilumen

2000:1 contrastratio

1024 x 768 resolution

2,25 x 1,70 meter screen

Recording Studio

Midas HD96 digital Console

44 tracks 96 kHz recording system

PCM LB1 speakers

Genelec 1029 speakers

rackmount equipment by Neve, Langevin, Junger, Urei, DBX, Lexicon, TC, Focusrite.

For further info please contact Jurre Wieman, jurre [at] bimhuis.nl

Video Meeting Room

Sharp XG-25 beamer

4500 ansilumenen

600:1 contrastratio

1024 x 768 resolution

Projection on the wall