BIMHUIS

Technical Rider

Audio

Max. 100dB(A) Leq 5min

PA SYSTEM
L'Acoustics A15 + KS21 sub
L/R 3x A15 per side (2 wide, 1 focus)
Side L/R 2x A15 per side
Sub 2x KS21 per side in cardiode

FOH
Midas HD96 with DL251 & DL154 & DL155 stagebox
Bricasti M7 reverb
Lexicon PCM91 FX processor
Junger Accent 2

MONITORS
Monitors are driven from FOH
8x L'Acoustic X12
4x L'Acoustic X8

MICROPHONES
2x AEA N8
2x AKG C414 B-ULX
2x AKG C535
2x Beyerdynamic M88
3x Beyerdynamic M201
10x BSS AR133 active DI
6x DPA 6066 headset
2x Countryman FET88
2x DPA 4006
3x DPA 4061
3x DPA 4099
1x DPA 4018 d:facto
3x Electrovoice RE20
3x MBHO 648/KA1000
2x Radial PZDI Active Piezo DI
2x Radial PRO D2 stereo Passive DI
1x Radial PRO AV2 stereo Passive Multimedia DI

1x Radial J33 stereo Active Phono preamp DI
1x Radial USB-Pro USB DI
8x Neumann km140
2x Neumann km130
2x Neumann km150
4x Neumann km184
2x Neumann kms105
4x Neumann TLM170
2x Schertler Dyn-Uni-P48 contact microphone
4x Schoeps CMC6/MK4
4x Sennheiser e604
2x Sennheiser MD421
2x Sennheiser MD441
2x Sennheiser MKE40 lavalier microphone
2x Shure SM7b
3x Shure SM57
4x Shure SM58
1x Shure Beta 52
2x Shure Beta 57
2x Shure Beta 58
1x Shure Beta 91
1x Shure KSM9
2x Shure ULX4D receiver
1x Shure ULXD4Q receiver
2x Shure ULX D2 handheld with SM58/ ß87/ ß58/KSM9 head
7x Shure ULX D1 Beltpack
1x Yamaha Subkick

Video

Concert hall
BenQ LU9715
8000 ansilumen
1.000.000:1 contrastratio
WUXGA 1920 x 1200 resolution

4,88 x 3,05 (image size, 16:10) screen
4 x 3 meter expandable screen
Philips 32” HD monitor

Roland XS-1HD Video mixer
Blackmagic ATEM Mini
Mac Mini m1

Lights

48x 3kW dimmers
12x 3kW extra “free” dimmers
High End Systems Road Hog 4-21 lightdesk
12x Robe Robin Ledwash 300
2x Robe Robin Ledwash 600
6x Ayrton Mistral Led Profile spots
18x Teclumen Fusion Color 6
8x ADB profilespots 1kW
8x ADB PC 1kW
8x Desisti fresnell 1kW
8x Strand fresnell 2kW
12x Source Four par
10X JB Systems LED 56 (on luxaflex)
2x Smoke Factory Tour Hazer II

Stage and Power

Dimensions stage: 9,15 wide x 7,20 deep x 4,40 height
Power on stage:
2x 32Amp 400V
1x 63Amp 400 V
3x 16Amp 240V
Power for broadcast trucks;
1x 63Amp 400V
1x 16Amp 240V
1x 220 V to 110 V Transformer; 1000 W; american-type plugs
2x 220 V to 110 V Transformer; 350 W; american-type plugs

Elevator dimensions w/h/d: 200cm x 210cm x 280 cm

Instruments and Backline

DRUMS
Gretsch USA custom 125 anniversary series (Cadillac green):
18” bassdrum
6”x14” snaredrum
12” tom
14” floortom

Sonor Phonic (black):
18” bassdrum
6”x14” snaredrum
10”, 12”, 13”toms
14” en 16” floortoms

Sonor Phonic (brown):
18” bassdrum
12” tom
14” floortom

Yamaha Maple Custom Absolute:
18”, 20” en 22” bassdrums
6.5”x14” snaredrum
5.5”x14” snaredrum
10”, 12” & 13” toms
14” en 16” floortoms

Extra Snaredrums:
Ludwig Supraphonic LM402 6,5”x14”
Pearl 5.5”x14” Metal
Remo USA 3.5”x14” Metal
Tama Swingstar 5.5”x14” Metal

several Zildjan/Istanbul and other brand cymbals
Yamaha hardware

GRAND PIANO’S – PIANO’S - KEYBOARDS
Steinway & Sons D-274, length 274 cm. Serial number: 560.510 –
Preparation is NOT allowed!! Standard tuning 442Hz

Steinway & Sons B-211, length 211 cm. Serial number: B 332941
Standard tuning 442Hz

Yamaha U1 upright piano; Standard tuning 442Hz
Nord Stage EX electric piano
M-Audio Axiom61 Midi keyboard

BASS GUITAR & AMPLIFIERS
Fender Precision 4 string
Glockenklang Heart-rock head with Glockenklang 4x10” + tweeter cabinet
Galiën Krüger 1001 RB with Galiën Krüger 410RBH
2x Galiën Krüger MB150S
Polytone Minibrute IV
SWR Workingman 15”
MarkBass Little Mark Tube with New York 121 Speaker
Aguilar ToneHammer 700 with 2x SL112

GUITAR AMPLIFIERS
Fender Stratocaster guitar
2x Fender Twin Reverb
2x Fender Deluxe Reverb
Fender Bassman
VOX AC-30
Fender Hotrod Deluxe
Polytone Minibrute IV
Roland JC-120
AER Compact60
Roland KC-550 (multichannel keyboard amp)

PERCUSSION
Musser M55 vibraphone
Quinto/Conga/Tumba LP with stand
Timbales LP Prestige 14/15”
Bongo Meinl with stand
Djembé Meinl with stand
Cajon Meinl
Chimes, Cowbells woodblocks etc
Udu (LP, clay)
Darbuka (Meinl)

Audio Bar

Max. 98dB(A) Leq
Yamaha DM3
4x d&b E12 Speakers
2x L'Acoustics SB15 sub
4x L'Acoustic X8 monitor

DJ-Set

2x Pioneer CDJ 3000
1x Pioneer DJM-A9
2x Technics SL-1200Mk2
2x Pioneer CDJ850
Allen&Heath X-one 42 DJ Mixer

Video Bar

Sanyo PLC-XP100L beamer
6500 ansilumen
2000:1 contrastratio
1024 x 768 resolution
2,25 x 1,70 meter screen

Recording Studio

Midas HD96 digital Console
44 tracks 96 kHz recording system
PCM LB1 speakers
Genelec 1029 speakers
rackmount equipment by Neve, Langevin, Junger, Urei, DBX, Lexicon, TC, Focusrite.
For further info please contact Jurre Wieman, jurre [at] bimhuis.nl

Video Meeting Room

Sharp XG-25 beamer
4500 ansilumenen
600:1 contrastratio
1024 x 768 resolution
Projection on the wall